

United States Department of the Interior

FISH AND WILDLIFE SERVICE

MEMPHIS STATE UNIVERSITY - SOUTH CAMPUS MEMPHIS, TENNESSEE 38152

January 11, 1996

Ed Warr Ellington Agricultural Center Tennessee Wildlife Resources Agency P.O. Box 40757 Nashville, TN 37204

Dear Ed,

Attached are the preliminary results of the December Goose Survey for your state. Please check the data for accuracy and completeness. If I do not hear from you by January 22, 1996, I will assume the data are correct.

Thanks for your assistance in completing this survey and we will mail you a copy of the final report.

Cordially,

Don Orr

attachment

TENNESSEE - December 11-15, 1995 GOOSE SURVEY

	Canada				White
LOCATION	Migrants	Residents	Total	Snow	Fronted
ZONE I					TOINCU
2A Reelfoot NWR*	1,200	0	1,200	2	0
2B Lake Isom NWR	150	0	150	Ō	Ö
10 Hatchie NWR	0	85	85	Ō	Ö
23A Lower Hatchie NWR	50	0	50	Ŏ	0
19A S Fork Forked Deer - Roberts St.	0	0	0	2	0
Rd. to Lauderdale Refuge			_	_	J
19D Middle Fork Forked Deer - Tigrett	21	0	21	0	0
WMA to 5 miles above Highway 54		•		·	0
19B Lauderdale Refuge	640	0	640	2	5
19C Tigrett WMA	0	Ō	0	Õ	0
19E Horns Bluff Refuge	0	Ŏ	ő	0	_
19F Fort Ridge Refuge	Ō	. 0	Ö	0	0
20A Hop-In Refuge	Ō	. 0	0	0	0
20B Gooch WMA	Ö	Ö	0	0	0
2C Black Bayou Refuge	Õ	ő		_	0
2D Reelfoot WMA	ő	0	0	0	0
35 White Lake Refuge	Ö	0	0	0	0
36 Rice WMA	o o	<u> </u>	0	0	0
37 Obion/Forked Deer Bottoms	0	0	0	0	0
38 Moss Island WMA		0	0	0	0
39 Chickasaw NWR	0	0	0	0	0
40 Open Lake	0	0	0	0	0
41 Sunk Lake NWR	0	0	0	0	0
42 Anderson Tully WMA/Driver Bar	0	0	0	0	0
43 Mustin Bottom	0	0	0	0	0
44 Hatchie River (Lower Hatchie to	0	7	7	0	0
Hatchie NWR)	0	0	0	0	0
ZONE I TOTAL	0.004				
ZONE II	2,061	92	2,153	6	5
20C Bean Switch Refuge	0	_			
20D Maness Swamp	0	0	0	0	0
20E Obion River WMA-Hwy 45 to Hop-In	0	0	0	0	0
20F Jamell Refuge	0	0	0	0	0
	0	0	0	0	0
3 ····- 3 ····· · · · · · · · · · · · ·	1,520	100	1,620	1	0
	0	0	0	0	Ō
• • • • • • • • • • • • • • • • • • • •	0	0	0	0	ō
3B Duck River - TN NWR 3F Camden WMA	972	400	1,372	40	Õ
3C Busseltown - TN NWR	0	0	0	0	Õ
9 Cross Creeks NWR	80	0	80	Ō	Ö
	4,570	800	5,370	Ō	Ō
5A Cheatham Reservoir 27A White Oak WMA	0	615	615	ō	Ö
	47	0	47	Ō	Ŏ
9A Barkley WMA - Unit I	6	0	6	Ö	Ö
9B Barkley WMA - Unit II	0	0	Ō	Ö	0
3 Kentucky Lake Reservoir	1	0	1	0	0
3G Harmons Creek WMA	00	0	Ö	0	0
ZONE II TOTAL	7,196	1,915	9,111	41	0
					<u>~</u> _

TENNESSEE - December 11-15, 1995 GOOSE SURVEY

10047/04	Canada				White
LOCATION	Migrants	Residents	Total	Snow	Fronted
ZONE III				OHOW	rionted
5C Percy Priest Reservoir	0	0	n	0	0
5B Old Hickory Reservoir	0	1,196	1.196	0	Ü
5D Cordell Hull Reservoir	n	182		U	Ü
7B Normandy Reservoir	n	· - -	182	0	0
7A Tims Ford Reservoir	0	15	15	0	0
7 Woods Reservoir	0	435	435	0	0
	U	625	625	0	0
		NOT SUR			
31 Melton Hill Reservoir		NOT SUR			
8B Watts Barr Reservoir	0	838	838	0	0
8A Chickamauga Reservoir	0	1,481	1.481	0	0
34A Tellico Reservoir		U	Ü		
ZONE III TOTAL					
STATE TOTALS	0.057	4,772	4,772	0	0
OTATE TOTALS	9,257	6,779	16,036	47	5

^{*}Reelfoot NWR goose figures represent one-half of the total Reelfoot population. Half of the geese are assigned to KY and half to TN.

D. Orr 1/11/96